

**RECEIVED
CENTRAL FAX CENTER****APR 12 2006****IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE****PATENT APPLICATION**Applicant: **Doerr et al.**Case: **Doerr 73-13 (LCNT/125620)**Serial No.: **10/657,862**Filed: **September 9, 2003**Examiner: **Kianni C. Kaveh**Group Art Unit: **2883**Title: **INTEGRATEABLE OPTICAL INTERLEAVER AND DE-
INTERLEAVER****COMMISSIONER OF PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450****SIR:****DECLARATION UNDER 37 C.F.R. § 1.132****We, Christopher Richard Doerr and David S. Levy, hereby declare as follows:**

1. We are co-inventors and co-applicants of the subject matter described and claimed in the present application, filed on September 9, 2003, and are familiar with the disclosures and pending claims of the present application;

2. We jointly conceived of the subject matter of all claims pending in this application prior to March 23, 2003, the publication date of the article entitled "Cross-connect-type wavelength add-drop node with integrated band muxes, interleavers, and monitor" by *Doerr, Stulz, Levy, Cappuzzo, Gomez, Wong-Foy, Chen, Richards, Pafchek, and Bogert*, Optical Society of America, March 23-28, 2003, p. PD33-1 -- PD33-3.

BEST AVAILABLE COPY

Declaration**Serial No. 10/657,862****Page 2**

3. We are co-authors of the article entitled "Cross-connect-type wavelength add-drop node with integrated band muxes, interleavers, and monitor" by *Doerr, Stulz, Levy, Cappuzzo, Gomez, Wong-Foy, Chen, Richards, Pafchek, and Bogert*, and are familiar with the disclosure of this article;

4. We are co-inventors of the subject matter which is disclosed in the article entitled "Cross-connect-type wavelength add-drop node with integrated band muxes, interleavers, and monitor" by *Doerr, Stulz, Levy, Cappuzzo, Gomez, Wong-Foy, Chen, Richards, Pafchek, and Bogert*;

5. That the other co-authors of the article entitled "Cross-connect-type wavelength add-drop node with integrated band muxes, interleavers, and monitor," namely, *Stulz, Cappuzzo, Gomez, Wong-Foy, Chen, Richards, Pafchek, and Bogert*, were working under our direction to make circuits, and perform other tasks that we directed, in order to reduce the invention to practice on our behalf, and are not co-inventors of the subject matter described therein;

We further declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing therefrom.

4/12/06
Date


CHRISTOPHER RICHARD DOERR

Date

DAVID S. LEVY

**RECEIVED
CENTRAL FAX CENTER****APR 12 2006****IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE****PATENT APPLICATION**Applicant: **Doerr et al.**Case: **Doerr 73-13 (LCNT/125620)**Serial No.: **10/657,862**Filed: **September 9, 2003**Examiner: **Kianni C. Kaveh**Group Art Unit: **2883**Title: **INTEGRATEABLE OPTICAL INTERLEAVER AND DE-
INTERLEAVER**COMMISSIONER OF PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450

SIR:

DECLARATION UNDER 37 C.F.R. § 1.132

We, Christopher Richard Doerr and David S. Levy, hereby declare as follows:

1. We are co-inventors and co-applicants of the subject matter described and claimed in the present application, filed on September 9, 2003, and are familiar with the disclosures and pending claims of the present application;

2. We jointly conceived of the subject matter of all claims pending in this application prior to March 23, 2003, the publication date of the article entitled "Cross-connect-type wavelength add-drop node with integrated band muxes, interleavers, and monitor" by *Doerr, Stulz, Levy, Cappuzzo, Gomez, Wong-Foy, Chien, Richards, Pafchek, and Bogert*, Optical Society of America, March 23-28, 2003, p. PD33-1 – PD33-3.

Declaration

Serial No. 10/657,862

Page 2

3. We are co-authors of the article entitled "Cross-connect-type wavelength add-drop node with integrated band muxes, interleavers, and monitor" by *Doerr, Stulz, Levy, Cappuzzo, Gomez, Wong-Foy, Chen, Richards, Pafchek, and Bogert*, and are familiar with the disclosure of this article;
4. We are co-inventors of the subject matter which is disclosed in the article entitled "Cross-connect-type wavelength add-drop node with integrated band muxes, interleavers, and monitor" by *Doerr, Stulz, Levy, Cappuzzo, Gomez, Wong-Foy, Chen, Richards, Pafchek, and Bogert*;
5. That the other co-authors of the article entitled "Cross-connect-type wavelength add-drop node with integrated band muxes, interleavers, and monitor," namely, *Stulz, Cappuzzo, Gomez, Wong-Foy, Chen, Richards, Pafchek, and Bogert*, were working under our direction to make circuits, and perform other tasks that we directed, in order to reduce the invention to practice on our behalf, and are not co-inventors of the subject matter described therein;


We further declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing therefrom.

Date

4/14/06

Date

CHRISTOPHER RICHARD DOERR



DAVID S. LEVY

**RECEIVED
CENTRAL FAX CENTER**

APR 12 2006

**IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE**

PATENT APPLICATION

Applicant: Doerr et al.

Case: Doerr 73-13 (LCNT/125620)

Serial No.: 10/657,862

Filed: September 9, 2003

Examiner: Kianni C. Kaveh

Group Art Unit: 2883

**Title: INTEGRATEABLE OPTICAL INTERLEAVER AND DE-
INTERLEAVER**

**COMMISSIONER OF PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450**

S I R:

SUPPLEMENTAL DECLARATION UNDER 35 C.F.R. § 1.131

We, Christopher Richard Doerr and David S. Levy, in support of conception and diligence in reduction to practice of claimed subject matter prior to filing of the present application on September 9, 2003, hereby declare as follows:

1. We are co-inventors of the subject matter described and claimed in the present application filed on September 9, 2003 and are familiar with the disclosures and pending claims;

2. That we jointly conceived of the subject matter of all claims pending in this application prior to March 23, 2003, the publication date of *Doerr et al.*;

3. That our conception of the claimed subject matter of the pending claims in this application prior to March 23, 2003 is evidenced by Exhibit A, which

Declaration
Serial No. 10/657,862
Page 2

is an invention disclosure disclosing the claimed subject matter of the pending claims in this application;

4. That the invention disclosure shown in Exhibit A was prepared prior to March 23, 2003;

5. That we diligently pursued the subject matter of the pending claims from a time beginning before March 23, 2003, until filing of the present application on September 9, 2003, as further described in points 6 – 14 below;

6. That we submitted the invention disclosure shown in Exhibit A to our in-house legal department;

7. That our in-house legal department submitted the invention disclosure shown in Exhibit A to an outside legal firm for prosecution of the present invention on April 10, 2003, as evidenced in Exhibit B;

8. That the outside legal firm was diligently working on the present application prior to June 20, 2003 when the outside legal firm contacted at least one of us regarding questions with respect to drafting of the present application, as evidenced in Exhibit C;

9. That the outside legal firm provided a first draft of the present application to us on or before July 17, 2003, as evidenced by Exhibit D;

10. That additional communication regarding the present application was initiated by the outside legal firm on July 25, 2003, as evidenced by Exhibit E;

Declaration
Serial No. 10/657,862
Page 3

11. That the outside legal firm provided a first final draft of the present application to our in-house legal department on August 20, 2003, as evidenced by Exhibit F;

12. That the outside legal firm provided a second final draft of the present application to us for acceptance of changes requested by our in-house legal department on August 28, 2003, as evidenced by Exhibit G;

13. That the outside legal firm provided a third final draft of the present application to our in-house legal department on September 4, 2003, as evidenced by Exhibit H;

14. That subsequent reduction to practice of the invention occurred at least on September 9, 2003 with the filing of the present application.

We further declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing therefrom.

2/7/06
Date


CHRISTOPHER RICHARD DOERR

Date

DAVID S. LEVY

**RECEIVED
CENTRAL FAX CENTER**

APR 12 2006

**IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE**

PATENT APPLICATION

Applicant: **Doerr et al.** Case: **Doerr 73-13 (LCNT/125620)**
Serial No.: **10/657,862** Filed: **September 9, 2003**
Examiner: **Kianni C. Kaveh** Group Art Unit: **2883**
Title: **INTEGRATEABLE OPTICAL INTERLEAVER AND DE-
INTERLEAVER**

COMMISSIONER OF PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450

S I R:

SUPPLEMENTAL DECLARATION UNDER 35 C.F.R. § 1.131

We, Christopher Richard Doerr and David S. Levy, in support of conception and diligence in reduction to practice of claimed subject matter prior to filing of the present application on September 9, 2003, hereby declare as follows:

1. We are co-inventors of the subject matter described and claimed in the present application filed on September 9, 2003 and are familiar with the disclosures and pending claims;
2. That we jointly conceived of the subject matter of all claims pending in this application prior to March 23, 2003, the publication date of *Doerr et al.*;
3. That our conception of the claimed subject matter of the pending claims in this application prior to March 23, 2003 is evidenced by Exhibit A, which

Declaration
Serial No. 10/657,862
Page 2

is an invention disclosure disclosing the claimed subject matter of the pending claims in this application;

4. That the invention disclosure shown in Exhibit A was prepared prior to March 23, 2003;

5. That we diligently pursued the subject matter of the pending claims from a time beginning before March 23, 2003, until filing of the present application on September 9, 2003, as further described in points 6 – 14 below;

6. That we submitted the invention disclosure shown in Exhibit A to our in-house legal department;

7. That our in-house legal department submitted the invention disclosure shown in Exhibit A to an outside legal firm for prosecution of the present invention on April 10, 2003, as evidenced in Exhibit B;

8. That the outside legal firm was diligently working on the present application prior to June 20, 2003 when the outside legal firm contacted at least one of us regarding questions with respect to drafting of the present application, as evidenced in Exhibit C;

9. That the outside legal firm provided a first draft of the present application to us on or before July 17, 2003, as evidenced by Exhibit D;

10. That additional communication regarding the present application was initiated by the outside legal firm on July 25, 2003, as evidenced by Exhibit E;

Declaration
Serial No. 10/657,862
Page 3

11. That the outside legal firm provided a first final draft of the present application to our in-house legal department on August 20, 2003, as evidenced by Exhibit F;

12. That the outside legal firm provided a second final draft of the present application to us for acceptance of changes requested by our in-house legal department on August 28, 2003, as evidenced by Exhibit G;

13. That the outside legal firm provided a third final draft of the present application to our in-house legal department on September 4, 2003, as evidenced by Exhibit H;

14. That subsequent reduction to practice of the invention occurred at least on September 9, 2003 with the filing of the present application.

We further declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing therefrom.

Date

1/26/06

Date

CHRISTOPHER RICHARD DOERR

David S. Levy

DAVID S. LEVY

Silica waveguide cross-connect-type wavelength add-drop with integrated interleavers

C. R. Doerr, L. W. Stulz, R. Pafchek*, D. S. Levy, G. Bogert*, and G. Richards%

Lucent Technologies, Bell Laboratories
791 Holmdel-Keyport Road
Holmdel, NJ 07733
732-888-7067, FAX 732-888-7074, e-mail: crdoerr@lucent.com

*Agere Systems/TriQuint Semiconductor
9999 Hamilton Blvd.
Breinigsville, PA 18031

%Lucent Technologies, Supply Chain Networks

IEEE indexing terms: Glass materials/devices, gratings, optical filter, optical phase shifters, wavelength-division multiplexing

Abstract

We employ silica waveguide technology to integrate two interleavers with a wavelength-selective cross-connect and a star coupler with variable optical attenuators, making a low-start-up-cost flexible add-drop node in a highly compact and fabrication-robust manner. To make the interleavers, we demonstrate a novel desensitized 2×2 coupler.

1. Design

To compete effectively with electronic solutions, wavelength-division multiplexed optical add-drop multiplexers (OADMs) need to have a high flexibility yet a low start-up cost. A start-up node is one that can drop only a subset of channels but maintains the total line capacity and is upgradeable to dropping more channels without complete line interruption. To achieve low cost we chose a simple, robust, all-solid-state technology like thermooptic silica waveguides and integrated all the routing elements onto one compact chip.

We designed a wavelength-selective-cross-connect (WSC)-type OADM node for a 16-channel 100-GHz-spacing wavelength-division multiplexed system. To keep the start-up cost low and yet the flexibility high, the system is divided into two 8-channel 200-GHz-spacing sets via interleavers. The start-up node is shown in Fig. 1a. The even-numbered channels can be dropped and added. The dropping is done via a 1×9 WSC (allowing each drop channel to appear at any port), and the adding is done via a 1×8 star coupler (allowing each add channel to be at any wavelength, assuming tunable transmitters) with variable optical attenuators (VOAs) and a coupler. When the user wishes to also drop and add the odd-numbered channels, a second WSC and a second coupler replace the attenuator in the odd-channel path. This can be done without disrupting the even-numbered channels. To make the system low cost, the de-interleaver, the WSC, the interleaver, and the 1×8 star coupler with VOAs are all integrated onto one silica waveguide planar lightwave circuit (PLC). These four components are left unconnected to each other on the PLC, in order to give the user as much flexibility as possible,

e.g., in case the user wishes the start-up node to drop and add the odd-numbered channels. Figure 1b shows how the node can be arranged in an East-West separable fashion using two of the PLCs, in order to preserve SONET 1:1 protection in the event of a PLC failure/replacement.




Fig. 1a. Block diagram of proposed low-cost start-up node for a 16-channel system. The de-interleaver, WSC, add 1×8 combiner and VOAs, and interleaver were all put on one PLC. To upgrade the node, a second PLC (identical except for a wavelength shift of 100 GHz) is added, replacing the attenuator with a second WSC and add-path coupler.




Fig. 1b. Block diagram of start-up node for both directions. To make the system East-West separable, only components from one side of the dotted line are integrated on the same PLC.

The PLC waveguide layout is shown in Fig. 2a. The WSC and add star with VOAs are nearly identical to that of Ref. [1]. The interleavers were squeezed into a small open space, resulting in no change in PLC size, and thus there are still three PLCs per 5" wafer. The interleavers are Fourier-filter type^[2], each consisting of a two-stage Mach-Zehnder interferometer (MZI). The interleavers have thermo-optic trimmers on the MZI arms to adjust their phases. Because these integrated interleavers need to have a high yield and yet be compact, we used a y-branch coupler for the first coupler and novel three-stage couplers for the second two, as shown in Fig. 2b.




Fig. 2. (a) waveguide layout of the PLC and (b) detailed diagram of an interleaver. The PLC is 9.3 cm × 2.6 cm. The evanescent couplers are nominally 50/50. The numbers tell the local path-length difference, λ_c being the design center wavelength.

It is well known that by combining multiple evanescent couplers one can make a coupler with a coupling ratio that is less sensitive to wavelength, polarization, and fabrication (WPF) variations. Both two-^[3] and four-stage^[4] “desensitized” arrangements have been proposed. We propose here a three-stage arrangement, consisting of three identical, nominally 50/50 evanescent couplers connected by two differential delays, ϕ_1 and ϕ_2 . This three-stage arrangement is ~30% shorter and slightly lower loss than the four-stage one and yet is sufficiently desensitized for our application.

If the inputs to the coupler are u_1 and u_2 (the complex amplitudes of the fields), and the accumulated phase difference between the eigenmodes in each evanescent coupler is $\pi/2 + 2\Delta$, where $\Delta \ll 1$ and represents a error in the coupling ratio, then the outputs v_1 and v_2 are

$$\begin{bmatrix} v_1 \\ v_2 \end{bmatrix} = \frac{1}{2\sqrt{2}} \begin{bmatrix} 1-\Delta & j+j\Delta \\ j+j\Delta & 1-\Delta \end{bmatrix} \begin{bmatrix} e^{j\phi_2} & 0 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} 1-\Delta & j+j\Delta \\ j+j\Delta & 1-\Delta \end{bmatrix} \begin{bmatrix} e^{j\phi_1} & 0 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} 1-\Delta & j+j\Delta \\ j+j\Delta & 1-\Delta \end{bmatrix} \begin{bmatrix} u_1 \\ u_2 \end{bmatrix} \quad (1)$$

The nominal coupling ratio is

$$R = \frac{1}{8} |1 + e^{j\phi_2} - e^{j\phi_1} + e^{j\phi_1 + j\phi_2}|^2 \quad (2)$$

The sensitivity of R to Δ is minimized when

$$\begin{aligned} & [1 + \cos \phi_2 - \cos \phi_1 + \cos(\phi_1 + \phi_2)] [-1 - \cos \phi_2 - 3 \cos \phi_1 - \cos(\phi_1 + \phi_2)] = \\ & - [\sin \phi_2 - \sin \phi_1 + \sin(\phi_1 + \phi_2)] [-\sin \phi_2 - 3 \sin \phi_1 - \sin(\phi_1 + \phi_2)] \end{aligned} \quad (3)$$

We thus have two equations, (2) and (3), for two variables, ϕ_1 and ϕ_2 . Some computer-found solutions are listed in Table 1.

Coupling ratio	ϕ_1	ϕ_2
50/50	0°	120°
75/25	116.9°	34.2°
90/10	110.1°	58.4°
100/0	90°	90°

Table 1. Some parameter choices for the proposed 3-stage coupler.

ϕ_1 and ϕ_2 can be interchanged and/or both multiplied by a minus sign without affecting the coupling ratio (e.g., 117°, 34° and -117°, -34° and 34°, 117° and -34°, -117° all give the same ratio). If only one angle is multiplied by a minus sign, then the coupling ratio flips (e.g., 117°, 34° gives a 75/25 ratio, whereas 117°, -34° gives a 25/75 ratio).

As is well known, Fourier-filter interleavers exhibit non-zero chromatic dispersion, which can be canceled by cascading two stages^[5,6]. In our case we adjust the MZI arm lengths in one of the interleavers to shift the wavelength response by half of the interleaver free-spectral range^[4]. Thus the net chromatic dispersion for the undropped channels is zero.

2. Results

The PLCs were made using 0.80% index-step silica waveguides on a silicon substrate. One was fully packaged with its own drivers on a circuit board. One phase shifter on one MZI arm of each of the stages of each interleaver were accessed via probe needles connected to voltage sources. These two voltages were adjusted so as to wavelength-align the interleaver to the WSC passbands and to optimize the crosstalk. For ~ 5 seconds, each voltage was increased to an extremely high value and then decreased, so as to trim via hyperheating^[7]. This process was repeated until both applied voltages became zero, leaving the interleaver permanently adjusted and passive.

The add-star coupler path transmissivities for all 8 inputs are shown in Fig. 3 with the VOAs set at 0- and 10-dB attenuation. The VOAs are operated push-pull^[8], and the polarization-dependent loss (PDL) of the entire add path over the 10-dB range is < 1.0 dB. To achieve such uniform, relatively low-loss performance, we used a symmetric star coupler (except for a port shift) with strong mutual coupling and focusing on the phase centers in the arrays^[9], along with segmentation^[10] and parallel inlet horn walls^[11].




Fig. 3. Measured spectra of the eight add paths with VOAs at 0- and 10-dB attenuation. Fiber-to-fiber, including one connector (likewise for all subsequent plots).

The in-to-thru spectra of the WSC for three different configurations are shown in Fig. 4. The worst-case loss is < 4.75 dB, and the worst-case extinction ratio is > 55 dB. The thru shutters also act as VOAs, and the in-to-thru worst-case PDL at 0-dB and 12-dB attenuation are 0.1 and 0.6 dB, respectively. The in-to-drop spectra of the WSC for sending all 8 channels to each of the 8 drop ports in succession are shown in Fig. 5. The worst-case loss is < 7.5 dB, and the worst-case extinction ratio is > 43 dB. Shown overlaid are the spectra measured at the ports with only double rejection. To be sure that the extinction ratio is adequate for all 9^8 possible states of the WSC without measuring them all, we toggled each of the switches/shutters individually, with and without its neighbors activated (to account for thermal crosstalk) and measured the worst-case extinction ratio of each switch/shutter over all polarizations. We found that the worst-case extinction ratios of all 72 shutters are between 22.6 and 39.2 dB and of all 64 1×2 switches, for both up and down states, are between 20.0 and 36.6 dB. Thus the worst possible crosstalk is 42.6 dB.




Fig. 4. Measured in-to-thru spectra of WSC for three cases overlaid: no channels dropped, all channels dropped, and only channels 4, 10, and 12 dropped.




Fig. 5. Measured in-to-drop spectra of WSC for cases of sending all channels to each drop port for each figure. Overlaid are the measured spectra at the ports with only double crosstalk rejection.

The measured spectra of the interleavers are shown in Fig. 6. The loss ranges from 2.25 dB to 3.25 dB. The PDL is 0.1 dB. We then constructed the start-up node of Fig. 1a, leaving out the add path, by connecting together the appropriate fibers on the fiber-ribbon attached to the PLC. We chose the outer interleaver as the de-interleaver, because of its better crosstalk. The measured through-path and drop-path spectra are shown in Figs. 7 and 8, respectively. The worst-case through loss is < 10.8 dB. If the add coupler were added, and if it is a 50/50 fiber coupler, the total through loss for the node would be ~14 dB. The measured chromatic dispersion for the through path is shown in Fig. 9. The magnitude is < 8 ps/nm over the passband.

We thank M. Zirngibl for support and J. Fernandes for assistance.




Fig. 6. Measured spectra of interleavers. Upper and lower plots are the outer and inner interleavers, respectively.




Fig. 7. Measured spectra of the start-up node. Upper plot is from input of de-interleaver to output of interleaver for the cases of no and all channels dropped. Lower plot is from input of de-interleaver to drop port 5 for the case of channels 8 and 10 dropped to drop port 5.




Fig. 8. Measured transmissivity and chromatic dispersion of through path of the start-up node.

References

- ¹ C. R. Doerr, L. W. Stulz, D. S. Levy, L. Gomez, M. Cappuzzo, J. Bailey, R. Long, A. Wong-Foy, E. Laskowski, E. chen, S. Patel, and T. Murphy, "Eight-wavelength add-drop filter with true reconfigurability," *IEEE Photon. Technol. Lett.*, vol. 15, pp. 138-140, 2003.
- ² Y. P. Li, C. H. Henry, E. J. Laskowski, H. H. Yaffe, and R. L. Sweatt, "Monolithic optical waveguide 1.31/1.55mm WDM with -50 dB crosstalk over 100 nm bandwidth," *Electron. Lett.*, vol. 31, pp. 2100-2101, 1995.
- ³ K. Jingui, N. Takato, A. Sugita, M. Kawachi, "Mach-Zehnder interferometer type optical waveguide coupler with wavelength-flattened coupling ratio," *Electron. Lett.*, vol. 26, pp. 1326-1327, 1990.
- ⁴ M. Oguma, T. Kitoh, Y. Inoue, T. Mizuno, T. Shibata, M. Kohtoku, and Y. Hibino, "Compact folded waveguide-type interleaved filter with stabilized couplers," in *Proc. Optical Fiber Communications Digest*, paper TuK3, 2002, pp. 70-72.
- ⁵ C. K. Madsen and J. H. Zhao, *Optical Filter Design and Analysis: A Signal Processing Approach*, John Wiley & Sons, Inc., New York, 1999.
- ⁶ T. Chiba, H. Arai, K. Ohira, S. Kashimura, H. Okano, and H. Uetsuka, "Chromatic dispersion free Fourier transform-based wavelength splitters for D-WDM," in *Proc. OECC*, 2000, p. 13B2-2.
- ⁷ K. Moriawaki, M. Abe, Y. Inoue, M. Okuno, and Y. Ohmori, "New silica-based 8 × 8 thermo-optic matrix switch on Si that requires no bias power," in *Optical Fiber Conf.*, 1995, paper WS1, pp. 211-212.
- ⁸ C. R. Doerr, L. W. Stulz, R. Pafchek, and S. Shunk, "Compact and low-loss manner of waveguide grating router passband flattening and demonstration in a 64-channel blocker/multiplexer," *IEEE Photon. Technol. Lett.*, vol. 14, pp. 56-58, 2002.
- ⁹ C. Dragone, "An N × N multiplexer using a planar arrangement of two star couplers," *IEEE Photon. Technol. Lett.*, vol. 3, pp. 812-815, Aug. 1991.
- ¹⁰ Y. P. Li, "Optical device having low insertion loss," U. S. Patent 5 745 618, Apr. 28, 1998.
- ¹¹ C. R. Doerr, R. Pafchek, and L. W. Stulz, "16-band integrated dynamic gain equalization filter with less than 2.8-dB insertion loss," *IEEE Photon. Technol. Lett.*, vol. 14, pp. 334-336, 2002.

Lucent Technologies
Bell Labs Innovations



Susan E. Curry
Administrative Manager
Outside Counsel Program
Intellectual Property Business

101 Crawfords Corner Road
Room 3J-227
Holmdel, NJ 07733-3030 USA

Phone 732 949 7841
Fax 732 949 6410
seccurry@lucent.com

April 10, 2003

VIA PRIORITY MAIL

Eamon Wall, Esq.
Moser, Patterson & Sheridan
595 Shrewsbury Avenue, Suite #100
Shrewsbury, NJ 07702

Re: IDS No.: 125620

Managing Attorney

David A. Sasso

Secretary

Sharon Lobosco

Telephone No.

(732) 949-6559

Telephone No.

(732) 949-3179

Fax No.

(732) 949-0102

Dear Eamon:

Enclosed please find the above-referenced patent submission.

This application will not be foreign filed

After the final claims have been drafted and you are therefore in a position to identify the inventors, please send ATTACHMENT 1 "Request for Case Name/Number" VIA FACSIMILE to Norma Davis at (732) 949-6410.

A copy of the proposed application is to be sent to the MA prior to execution of the Declaration and Assignment; likewise, all other substantive papers such as amendments, appeal briefs and the like are to be sent to the MA prior to filing. Please note, however, that the MA may not be in a position to review the application or other papers prior to filing, or may choose to conduct only a quality control review either now or at a later time. Accordingly, the ultimate responsibility for the timely filing as well as the quality and contents of the papers of this application and any resulting patent remains with you. If you do not receive specific instructions from the MA within five (5) business days from the date that the application or any subsequent papers were submitted to the MA, you are authorized and directed to transmit same directly to the USPTO.

If, during the prosecution of an application, you believe that a CPA/CIP, Divisional, Appeal, etc. should be filed, your advice should be presented to the MA for concurrence, prior to commencement of any work.

Very truly yours,

Susan E. Curry

SEC:nmd

Encl. (As above)

4/14/03
DOCKETED

RECEIVED
APR 14 2003

MOSER, PATTERSON
& SHERIDAN



Tony Villabon

06/20/2003 03:57 PM

To: dslevy@lucent.com, grichards@lucent.com; larry@lucent.com
cc: (bcc: Carol Wilson/MPS)

Subject: Patent Applications LCNT/125620, LCNT/125663, LCNT/125666

Dear Inventors,

My name is Jorge Tony Villabon and I am an associate at Moser, Patterson & Sheridan, outside Patent Counsel for Lucent Technologies. We have been working on the above referenced three patent applications regarding a novel low-cost start-up add/drop node and we have a few questions regarding the inventive concepts of the invention that we need clarified.

Please contact me at your earliest convenience so that we may set up a telephone interview and briefly discuss the concepts of the invention.

We would appreciate any help that you can extend to us. Thank you very much in advance. We look forward to your reply.

Best Regards,

Jorge Tony Villabon, Esq.
Moser, Patterson & Sheridan
595 Shrewsbury Ave.
Suite 100
Shrewsbury, N.J. 07702
Telephone (732) 530-9404
Fax (732) 530-9808



Carol Wilson

07/17/2003 11:48 AM

To: Chris Doerr <crdoerr@lucent.com>

cc:

Subject: Re: inventor info

thank you so much Chris

will you be getting back to Tony today re. the draft app he sent you?

c

Carol J. Wilson

Legal Assistant

MOSER, PATTERSON & SHERIDAN, LLP

595 Shrewsbury Avenue, Suite 100

Shrewsbury, NJ 07702

Telephone (732) 530-9404 Extension 1157

Facsimile (732) 530-9808

cwilson@mpsllp.com

<http://www.mpsllp.com>

CONFIDENTIAL INFORMATION

This transmission contains information from the law firm of Moser, Patterson & Sheridan, LLP that is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this transmission in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you. Alternatively, notify the sender by replying to this transmission and delete the message without disclosing it. Thank you.



Carol Wilson

07/17/2003 11:26 AM

To: dslevy2001@yahoo.com

cc:

Subject: Lucent patent submissions

good morning David

I work with Tony Villabon. He is writing 3 patent applications for Lucent. He needs to speak with you re. the patent submissions

Will you please give Tony a call - 732-530-9404.

much appreciation,
carol

Carol J. Wilson
Legal Assistant
MOSER, PATTERSON & SHERIDAN, LLP
595 Shrewsbury Avenue, Suite 100
Shrewsbury, NJ 07702
Telephone (732) 530-9404 Extension 1157
Facsimile (732) 530-9808
cwilson@mpsllp.com
<http://www.mpsllp.com>

CONFIDENTIAL INFORMATION

This transmission contains information from the law firm of Moser, Patterson & Sheridan, LLP that is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this transmission in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you. Alternatively, notify the sender by replying to this transmission and delete the message without disclosing it. Thank you.



Tony Villabon

07/25/2003 11:43 AM

To: Chris Doerr <crdoerr@lucent.com>

cc: (bcc: Carol Wilson/MPS)

Subject: Re: Patent Application LCNT/125620 (Bogert 8)

Dr. Doerr,

In my opinion, it would be better and provide more protection to have separate applications. The reasoning is that we want to describe the novel network node including the band filters with as much specificity as you have for your other two related applications. Merely stating in a dependent claim that the novel band filter may be used or is used in a network node would not provide adequate protection and would not be enabling. We have to describe the network node in the specification very specifically.

As such, having two applications would provide protection and claims toward the band filter, and protection and claims toward a novel network node comprising the novel band filter. Attempting to claim both the novel band filter and the novel network node in one application will most likely result in a restriction.

In addition, do you want the novel monitor you presented claimed as well?

Please let me know.

I look forward to your reply.

Best Regards,

Jorge Tony Villabon, Esq.
Moser, Patterson & Sheridan
595 Shrewsbury Ave.
Suite 100
Shrewsbury, N.J. 07702
Telephone (732) 530-9404
Fax (732) 530-9808



Tony Villabon

08/20/2003 01:36 PM

To: dasasso@lucent.com

cc: (bcc: Carol Wilson/MPS)

Subject: LCNT/125620 (Doerr73-?) . LCNT/125666 (Doerr 75) , LCNT/125666 (Doerr 74)

Dave,

Attached are electronic copies of the LCNT/125620 (Doerr73-?) and LCNT/125666 (Doerr 75) patent applications and the associated informal figures for your review and ultimate approval. The applications have been inventor approved. Formal figures for the patent applications are currently being made.

If you have any questions or comments, please feel free to contact me directly at your convenience. I await your response. Thank you.

Best Regards,

Jorge Tony Villabon, Esq.
Moser, Patterson & Sheridan
595 Shrewsbury Ave.
Suite 100
Shrewsbury, N.J. 07702
Telephone (732) 530-9404
Fax (732) 530-9808



- LCNT_125620.DOC



- LCNT_125620_FORMAL_DRAWINGS.PDF



- LCNT_125666.DOC



125666figs.pdf



Carol Wilson

08/28/2003 10:54 AM

To: crdoerr@lucent.com

cc: Tony Villabon/MPS

Subject: final drafts - pat. apps. 125620 and 125666

hi Chris

good morning - what a lovely August morning.

I am attaching the final drafts of two of your patents - 125620 & 125666
These have David Sasso's changes.

Please look them over as soon as you can and get back to Tony.
I will send you new formal papers

also, please let Tony know the status of 125663



- LCNT_125620 (final version).DOC



- LCNT_125666.DOC

Carol J. Wilson
Legal Assistant
MOSER, PATTERSON & SHERIDAN, LLP
595 Shrewsbury Avenue, Suite 100
Shrewsbury, NJ 07702
Telephone (732) 530-9404 Extension 1157
Facsimile (732) 530-9808
cwilson@mpsllp.com
<http://www.mpsllp.com>

CONFIDENTIAL INFORMATION

This transmission contains information from the law firm of Moser, Patterson & Sheridan, LLP that is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this transmission in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you. Alternatively, notify the sender by replying to this transmission and delete the message without disclosing it. Thank you.



Carol Wilson

09/04/2003 01:25 PM

To: dasasso@lucent.com, slobosco@lucent.com
cc: Tony Villabon/MPS
Subject: LCNT 125620

hi Dave

Attached is the inventor-approved final draft of the above-referenced application.
a few of the claims were changed.

We are looking at filing it today if possible.

Pls get back to us ASAP

thank you Dave,



- LCNT_125620 (final version).DOC

Carol J. Wilson
Legal Assistant
MOSER, PATTERSON & SHERIDAN, LLP
595 Shrewsbury Avenue, Suite 100
Shrewsbury, NJ 07702
Telephone (732) 530-9404 Extension 1157
Facsimile (732) 530-9808
cwilson@mpslip.com
<http://www.mpsllp.com>

CONFIDENTIAL INFORMATION

This transmission contains information from the law firm of Moser, Patterson & Sheridan, LLP that is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this transmission in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you. Alternatively, notify the sender by replying to this transmission and delete the message without disclosing it. Thank you.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.